

Data Sheet

STU-540

5-inch color
Signature Pad



WACOM® for Business

STU-540

*The premium
eSignature solution*



Product Overview

The STU-540 signature pad is Wacom's most advanced and robust premium electronic signature device. It is ideal for high-traffic environments where in-person handwritten electronic signatures are required to confirm transactions, such as at bank teller desks, hotel check-ins, shop purchases or clinic registrations. The 5-inch high-resolution color LCD screen with hardened glass provides an attractive point of sale signing area with a paper-like feel and superb durability. When not in signature mode, it can also be used for displaying advertising, promotions or branding. A broad range of connectivity options ensure maximum deployment flexibility, including multiple alternatives for virtualized desktop environments. Transaction security is supported with advanced encryption built-in.

Key Features & Benefits

- **Low maintenance** costs thanks to high durability and the patented cordless, battery-free digital pen
- **Biometrically accurate signatures** using the digital pen with 1024 levels of pressure sensitivity
- **High durability and a natural, paper-like feel** enabled by the hardened glass with anti-glare screen treatment
- **Secure transactions** enabled by state-of-the-art AES256 / RSA2048 encryption
- **Support for virtualized environments** through the Virtual COM Port (VCP) for compatibility with Citrix XenDesktop and XenApp v6.5 and later
- **Customizable key pad and PIN pad** enabling input using graphic images or numerals
- **Attractive signature rendering** through the use of WILL™ (Wacom Ink Layer Language) technology that renders the best and most authentic-looking representation of handwritten electronic signatures
- **Enhanced signature traceability** through a UID (Unique hardware ID) for identifying the exact signature pad unit used for a particular signature and other inputs
- **Straightforward integration of signature pad support** into applications through the WILL™ SDK (Software Development Kit) for Signature
- **Ability to display promotional material** through an upgraded USB protocol and internal image storage that enables ads to be shown at natural speeds with no delays

General Specifications

 Dimensions (W x H x D)	6.41 x 6.18 x 0.39 inches / 163 x 157 x 10 mm
 Weight (including stand)	0.6 lbs / 275 g
 Main body color	Black
 Power supply	USB bus powered
 Power consumption	2.5 W maximum
 Communication interface	USB/VCP/RS-232

LCD Display

 Display Type	Amorphous TFT LCD
 Cover plate surface	AG etched glass
 Native resolution	800 x 480 pixels


Pad and Pen

 Reading Technology	Electromagnetic Resonance (EMR)
 Active area size	4.25 x 2.56 inches / 108 x 65 mm
 Coordinate resolution	2540 lpi / 0.01 mm/pt (non-interpolated)
 Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
 Report rate	200 points per second (non-interpolated)
 Pressure levels	1024 (non-interpolated)
 Encryption	AES256 / RSA2048

Miscellaneous

 Pen storage	Pen compartment
 Connectivity security	USB cable locking system
 Data security	Real time image capture without data storage. Internal memory for images only.
 Security lock slot	Yes, Kensington
 Operating temperature, relative humidity	+41° F to +104° F (+5° C to +40° C), (humidity 30 % to 80 % RH, no condensing)
 Storage temperature, relative humidity	-4° F to +140° F (-20° C to +60° C), (humidity 30% to 90% RH, no condensing)
 Signature software compatibility	Compatible with Windows signature / eSign software and Wacom's sign pro PDF and sign pro PDF Plug-in for Adobe Acrobat. For Windows, C++, .Net and Java development libraries available for developers (contact us for library and software availability in other development languages and platforms)
 Package content	Signature pad, cordless and battery-free pen, USB cable (9.84 ft / 3 m), quick start guide, pen tether (nylon fiber, 19.7 inch / 50 cm)
 Warranty	3 year (standard), 5 year (extended, sold separately)

More human



More digital



Japan (HQ)

For more information please contact:

Wacom Co., Ltd. · Sumitomo Fudosan Shinjuku Grand Tower 31F, 35F,
8-17-1 Nishi-Shinjuku, Shinjuku-ku, Tokyo 160-6131, Japan
vm-info@wacom.co.jp · 03-5337-6706



Americas

For more information please contact / Pour de plus amples informations,
veuillez contactez / Para obtener información adicional, póngase en contacto
con: Wacom Technology Corporation · 12121 NE 99th Street, Suite 2140,
Vancouver, WA 98682 USA
esign@wacom.com · 1-503-525-3100



Europe, Middle East and Africa

For more information please contact / Pour de plus amples informations,
veuillez contactez / Para obtener información adicional, póngase en contacto
con: Wacom Europe GmbH · Zollhof 11-15, 40221 Düsseldorf, Germany
solutions@wacom.eu · +49 211 385 48 0



China (Mainland)

For more information please contact:

Wacom China Corporation · 518, West Wing Office, China World Trade Center,
No. 1 Jianguomenwai Avenue, Chaoyang District, Beijing 100004, China
WW@wacom.com · 400-810-5460

Hong Kong

For more information please contact:

Wacom Hong Kong Ltd. · Office 107G, 17/F, Tower I, Grand Century Place,
193 Prince Edward Road West, Mong Kok, Hong Kong, China
e-signature@wacom.com · +852 2573 9322



Australia

For more information please contact:

Wacom Australia Pty. Ltd. · Ground floor, Building 1, 3 Richardson Place,
North Ryde, NSW, 2113, Australia
Contactapbs@Wacom.com · +61 2 9422 6730

Korea

For more information please contact:

Wacom Korea Co., Ltd. · Rm #1211, 12F, KGIT Sangam Center, 402 Worldcup
Bukro, Mapo-gu, Seoul 03925, Korea
Contactapbs@Wacom.com · 080-800-1231

Singapore

For more information please contact:

Wacom Singapore Pte. Ltd. · 5 Temasek Boulevard, #12-09, Suntec Tower Five,
Singapore 038985, Contactapbs@Wacom.com · (503) 525-3100

India

For more information please contact:

Wacom India Pvt. Ltd. · 426, Tower B, DLF Building Jasola District Centre,
Mathura Road, New Delhi 110025 India, Contactapbs@Wacom.com
Customer Support: 000-800-100-4159, +91-11-47239412

wacom.com/for-business

© 2025 Wacom Co., Ltd.